


## Facilities

### Sport England TUS Guidance Notes – Table Tennis

The following technical guidance provides recommended considerations for the development of a purpose-built table tennis facility.



Indicative Table Tennis Venue Layout

#### Playing Area

e.g. Hall size 18m x 22m, 6 courts at Grade 3 – 10m x 5m (3 Star standard local league)  
Clear height 3m  
10 courts for coaching purposes

#### Lighting

500 lux - LED lighting units which can be increased to 750 lux for National Level competition, evenly spread throughout the venue.

### Flooring

Semi Sprung, Gerflor (Taraflex), on semi sprung sub floor, colour – red, green or blue(recommended). Alternatively darker strip timber wooden flooring or Gransprung composite flooring.

### Heating

Ceiling mounted heating ideal ranges 16-18 deg.

### Ventilation

In line ceiling ventilation system.

### Storage

20m2 Suitable for 10 Tables, surround rack, score desks, storage cupboard x 2.

### Social Spectator Area

20m2 Suitable for 10 Tables, surround rack, score desks, storage cupboard x 2.

### Wall Colour

Light blue/light green. Example BS standards.



St Bede's RC High School, Blackburn, Lancs

### Equipment

Rollaway Tables, nets, surrounds, score boards, scoring desks, multiball net, robot, chair racks etc.

### Table Tennis Programme

Wide ranging table tennis programme: school, social, coaching, adult, league matches.

Potential to include: training and performance sessions, and competitions.

### Security of tenure

Whilst acknowledging costs need to be covered, we recommend ongoing revenue costs are kept as low as possible to encourage development and expansion of the club.



Halton TT Club, Widnes, Cheshire